

<b>REQUEST FOR QUOTATION</b> (This is NOT an Order)		This RFQ <input checked="" type="checkbox"/> is <input type="checkbox"/> is not a small business set-aside		Page 1 Of 25
1. Request No. DAAE07-02-Q-S155	2. Date Issued 2002MAR21	3. Requisition/Purchase Request No. See Schedule	4. Cert For Nat Def. Under BDSA Reg. 2 and/or DMS Reg. 1	Rating DOA4
5A. Issued By TACOM AMSTA-LC-CHADH WARREN, MICHIGAN 48397-5000			6. Deliver by (Date) See Schedule	
5B. For Information Call: (Name and telephone no.) (No collect calls) DAVID HENDERSON (586) 574-8293 EMAIL: HENDERSD@TACOM.ARMY.MIL			7. Delivery <input checked="" type="checkbox"/> FOB Destination <input type="checkbox"/> Other	
8. To: Name and Address, Including Zip Code			9. Destination (Consignee and address, including Zip Code)  See Schedule	
10. Please Furnish Quotations to the Issuing Office in Block 5A On or Before Close of Business (Date) 2002APR10		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please indicate on this form and return it to the address in Block 5B. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any interpretations and/or certifications attached to this Request for Quotation must be completed by the quoter.		

11. Schedule (Include applicable Federal, State, and local taxes)					
Item Number (a)	Supplies/Services (b)	Quantity (c)	Unit (d)	Unit Price (e)	Amount (f)
	(See Schedule)				

12. Discount For Prompt Payment	a. 10 Calendar Days %	b. 20 Calendar Days %	c. 30 Calendar Days %	d. Calendar Days	
				Number	Percentage

NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.					
13. Name and Address of Quoter (Street, City, County, State and Zip Code)		14. Signature of Person Authorized to Sign Quotation		15. Date of Quotation	
		16. Signer			
		a. Name (Type or Print)		b. Telephone	
		c. Title (Type or Print)		Area Code Number	

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page</b> 2 <b>of</b> 25
<b>Name of Offeror or Contractor:</b>		

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4006 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2001

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil)

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-S155 MOD/AMD	Page 3 of 25
--------------------	---------------------------------------------------------------------------------	--------------

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001  0001AA	<p>SUPPLIES OR SERVICES AND PRICES/COSTS</p> <p><u>Supplies or Services and Prices/Costs</u></p> <p><u>WINDOW SASH VEHICUL</u></p> <p>NSN: 2510-00-235-1888 NOUN: WINDOW SASH VEHICUL FSCM: 19207 PART NR: 7047096 SECURITY CLASS: Unclassified CLIN CONTRACT TYPE: Firm-Fixed-Price PRON: EH283966EH PRON AMD: 01 AMS CD: 070011</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SPI AK0235188 AND MIL-STD-2073-1D UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W56HZV13040107 W25G1U J 2 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 65 0180</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> <p>DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 002 W56HZV13040108 W62G2T J 2 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 20 0180</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000</p>	85	EA	\$ _____	\$ _____

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-S155 MOD/AMD	Page 4 of 25
--------------------	---------------------------------------------------------------------------------	--------------

Name of Offeror or Contractor:

CONTRACT CLAUSES

2	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
3	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUL/1996
4	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	FEB/2002
5	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
6	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUL/2000
7	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	MAY/1999
8	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
9	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	AUG/2000
10	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	MAR/1998
11	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
12	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)  
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name \_\_\_\_\_  
 Manufacturer's Name \_\_\_\_\_  
 Source's Name \_\_\_\_\_  
 Item Name \_\_\_\_\_  
 Service \_\_\_\_\_  
 Identification\_\_\_\_\_Test Number\_\_\_\_\_(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

13	52.219-1	SMALL BUSINESS PROGRAM REPRESENTATIONS--ALTERNATE I (OCT 2000)	MAY/2001
----	----------	----------------------------------------------------------------	----------

(a)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page</b> 5 <b>of</b> 25
<b>Name of Offeror or Contractor:</b>		

(1) The North American Industry Classification System (NAICS) code for this acquisition is 332321 .

(2) The small business size standard is 500 .

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b) Representations.

(1) The offeror represents as part of its offer that it [ ] is, [ ] is not a small business concern.

(2) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, for general statistical purposes, that it [ ] is, [ ] is not, a small disadvantaged business concern as defined in 13 CFR 124.1002.

(3) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it [ ] is, [ ] is not a women-owned small business concern.

(4) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it [ ] is, [ ] is not a veteran-owned small business concern.

(5) (Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.) The offeror represents as part of its offer that it is [ ] is, [ ] is not a service-disabled veteran-owned small business concern.

(c) Definitions. As used in this provision--

"Service-disabled veteran-owned small business concern"--

(1) Means a small business concern--

(i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and

(ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.

(2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," as used in this provision, means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

"Veteran-owned small business concern" means a small business concern--

(1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and

(2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern," as used in this provision, means a small business concern --

(1) That is at least 51 percent owned by one or more women; or in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and

(2) Whose management and daily business operations are controlled by one or more women.

(d) Notice.

(1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the

<p align="center"><b>CONTINUATION SHEET</b></p>	<p align="center"><b>Reference No. of Document Being Continued</b></p> <p align="center"><b>PIIN/SIIN</b> DAAE07-02-Q-S155      <b>MOD/AMD</b></p>	<p align="right"><b>Page 6 of 25</b></p>
-------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------

**Name of Offeror or Contractor:**

clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.

(2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall --

- (i) Be punished by imposition of fine, imprisonment, or both;
- (ii) Be subject to administrative remedies, including suspension and debarment; and
- (iii) Be ineligible for participation in programs conducted under the authority of the Act.

(6) [Complete only if offeror represented itself as small business concern in paragraph (b)(1) of this provision]. The offeror represents, as part of its offer, that--

- (i) It [ ] is, [ ] is not a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR Part 126; and
- (ii) It [ ] is, [ ] is not a joint venture that complies with the requirements of 13 CFR Part 126, and the representation in paragraph (b)(4)(i) of this provision is accurate for the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture: \_\_\_\_\_.] Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

[End of Provision]

14	52.204-4006	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED	MAY/2000
	(TACOM)	ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is destination.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

15	52.211-4015	CONFIGURATION CONTROL--ENGINEERING CHANGES, DEVIATIONS, AND WAIVERS	MAR/2000
	(TACOM)		

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a waiver or deviation along with your ECP. Information on RFD/RFW's/ECP's can be found on the web at [http://contracting.tacom.army.mil/rfd\\_w/rfd\\_w.htm](http://contracting.tacom.army.mil/rfd_w/rfd_w.htm).

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page</b> 7 <b>of</b> 25
<b>Name of Offeror or Contractor:</b>		

(2) Deviation. A Request for Deviation (RFD) is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Waiver. A Request for Waiver (RFW) is a one-time request that we accept one or more items from a production run that don't conform to TDP requirements. Waivers are submitted after the nonconformance has occurred. They are usually for a specific number of units.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP or RFD/RFW until we receive the ACO's comments (see paragraph (e)) and the ECP or RFD/RFW documentation.

(c) Contractor Responsibility. ECPs and RFD/RFW shall contain information per instruction of Attachment 20(RFD/W), or Attachment 14 (ECP's). You may use the forms in the Appendix D, MIL-STD 973 to prepare an ECP or RFD/RFW. You may use other media, as long as you give us all the information as requested on the Forms.

(1) For ECP's include:

(i) Requirements for Notices of Revision (NOR). (Instructions for NORs are in Attachment 15.)

(ii) Copies of drawings that you've clearly marked to identify the proposed change.

(iii) Any other documentation that will help us review your proposed change.

(2) Requests for Deviations/Waivers -You must:

(i) Prepare RFD/Ws per Attachment 20 instructions.

(ii) Include marked drawings and any other documentation that we'll need to review the proposed RFD/W.

(iii) Identify the number of parts affected on your submittal

(3) Identify the two-digit weapon system code on your submittal. You may find all forms and attachments mentioned in this clause on the web at: [http://contracting.tacom.army.mil/rfd\\_w/rfd\\_w.htm](http://contracting.tacom.army.mil/rfd_w/rfd_w.htm)

(4) The Contractor shall submit ECPs/VECPs and RFDs/RFWs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(5) ECPs/VECPs and RFDs/RFWs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft\* 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs and RFDs/RFWs, and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs/VECPs or RFDs/RFWs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government.

\*Registered Trademark

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECP's and RFD/W's.

(1) Send one copy of the ECP or RFD/W in electronic format to your ACO.

(2) Send one copy of the ECP or RFD/W in electronic format to the buyer listed on the solicitation / contract document.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page</b> 8 <b>of</b> 25
---------------------------	----------------------------------------------------------------------------------------------------------	----------------------------

**Name of Offeror or Contractor:**

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/RFD/RFW without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on Deviation, Waiver, or Engineering Change Request, in electronic format, and forward it as follows:

ECPs/RFDs and RFWs. Email a copy of the contractor's request and ACO comments to the engineer LeparsR@tacom.army.mil and the buyer.

(f) Approval of ECPs, RFDs, and RFWs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation or Waiver. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs/RFWs. Decision on RFDs and RFWs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in Appendix D), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames in paragraph 5.4.2.3.1.1 of MIL-STD-973 or notify you otherwise.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs/RFWs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required. You may find all forms and attachments mentioned in this clause on the web at [http://contracting.tacom.army.mil/rfd\\_w/rfd\\_w.htm](http://contracting.tacom.army.mil/rfd_w/rfd_w.htm)

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33).

[End of Clause]

16	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES	MAR/2000
----	------------------------	-----------------------------------------------------------------------------	----------

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-C-53072.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

17	52.242-4008 (TACOM)	ROUTING OF SPECIAL PROCESS APPROVALS	AUG/1994
----	------------------------	--------------------------------------	----------



CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-S155 MOD/AMD	Page 9 of 25
--------------------	---------------------------------------------------------------------------------	--------------

**Name of Offeror or Contractor:**

- (a) Specification TT-C 490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.
- (b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.
- (c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

18            52.242-4022            DELIVERY SCHEDULE            MAY/2000  
                 (TACOM)

- (a) The following delivery schedule applies to this procurement:
- (1) See the Government's proposed schedule in Section B. Start deliveries 120 days after the date of award. Continue delivering every thirty (30) days, if necessary, until all items are delivered.
- (2) You can accelerate delivery at no additional to the Government.
- (3) Delivery is defined as follows:
- (i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual order.
- (ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual order. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the order, to ensure that the item reaches its destination by the time reflected in the order.

- (b) CONTRACTOR'S PROPOSED SCHEDULE:
- (1) I WILL START DELIVERIES \_\_\_\_\_ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, \_\_\_\_\_ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.
- (2) I WILL DELIVER A QUANTITY OF \_\_\_\_\_ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF \_\_\_\_\_ UNITS EVERY 30 DAYS.

ATTENTION: IF YOU DO NOT INSERT A MAXIMUM QUANTITY ABOVE, YOU MAY BE REQUIRED TO DELIVER THE TOTAL QUANTITY ON THIS ORDER IN ONE SHIPMENT.

[End of Clause]

19            52.246-4053            USE OF MIL-STD 1916            JAN/2001  
                 (TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

20            52.204-3            TAXPAYER IDENTIFICATION            OCT/1998

- (a) Definitions.
- (1) "Common parent," as used in this solicitation provision, means that corporate entity that owns or controls an affiliated

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-S155      MOD/AMD</p>	<p style="text-align: center;"><b>Page 10 of 25</b></p>
--------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

**Name of Offeror or Contractor:**

group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

(2) "Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M and implementing regulations issued by the IRS. If the resulting contract is subject to the reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN).

- \* TIN:\_\_\_\_\_.
- \* TIN has been applied for.
- \* TIN is not required because:
- \* Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;
- \* Offeror is an agency or instrumentality of a foreign government;
- \* Offeror is an agency or instrumentality of a Federal Government;
- \* Other. State basis.\_\_\_\_\_

(e) Type of organization.

- \* Sole proprietorship;
- \* Partnership;
- \* Corporate entity (not tax-exempt):
- \* Corporate entity (tax-exempt):
- \* Government entity (Federal, State, or local);
- \* Foreign government;
- \* International organization per 26 CFR 1.6049-4;
- \* Other \_\_\_\_\_.

(f) Common Parent.

- \* Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision.
- \* Name and TIN of common parent:
- Name \_\_\_\_\_
- TIN \_\_\_\_\_

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page 11 of 25</b>
---------------------------	------------------------------------------------------------------------------------------------------	----------------------

**Name of Offeror or Contractor:**

21

52.207-4

ECONOMIC PURCHASE QUANTITY -- SUPPLIES

AUG/1987

(a) Offerors are invited to state an opinion on whether the quantity(ies) of supplies on which bids, proposals, or quotations are requested in this solicitation is (are) economically advantageous to the Government.

(b) Each offeror who believes that acquisitions in different quantities would be more advantageous is invited to recommend an economic purchase quantity. If different quantities are recommended, a total and a unit price must be quoted for applicable items. An economic purchase quantity is that quantity at which a significant price break occurs. If there are significant price breaks at different quantity points, this information is desired as well.

OFFEROR RECOMMENDATION

<u>ITEM</u>	<u>QUANTITY</u>	<u>PRICE QUOTATION</u>	<u>TOTAL</u>
_____	_____	_____	_____
_____	_____	_____	_____

(c) The information requested in this provision is being solicited to avoid acquisitions in disadvantageous quantities and to assist the Government in developing a data base for future acquisitions of these items. However, the Government reserves the right to amend or cancel the solicitation and resolicit with respect to any individual item in the event quotations received and the Government's requirements indicate that different quantities should be acquired.

[End of Provision]

22

52.222-22

PREVIOUS CONTRACTS AND COMPLIANCE REPORTS

FEB/1999

The offeror represents that--

- (1) It ☐ has
- ☐ has not

participated in a previous contract or subcontract subject to the EQUAL OPPORTUNITY clause of this solicitation;

- (2) It ☐ has
- ☐ has not

filed all required compliance reports; and

(3) Representations indicating submission of required compliance reports, signed by proposed subcontractors, will be obtained before subcontract awards.

[End of Provision]

23

52.222-25

AFFIRMATIVE ACTION COMPLIANCE

APR/1984

The offeror represents that

- (1) It ☐ has developed and has on file
- ☐ has not developed and does not have on file,

at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2), or

(2) It ☐ has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

<p align="center"><b>CONTINUATION SHEET</b></p>	<p align="center"><b>Reference No. of Document Being Continued</b></p> <p align="center"><b>PIIN/SIIN</b> DAAE07-02-Q-S155      <b>MOD/AMD</b></p>	<p align="center"><b>Page 12 of 25</b></p>
-------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------

**Name of Offeror or Contractor:**

[End of Provision]

24                      52.247-48                      F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION)                      JUL/1995

(a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.

(1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.

(2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or

(3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.

(b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

[End of Clause]

25                      252.225-7000                      BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM CERTIFICATE                      SEP/1999

(a) Definitions. "Domestic end product," "qualifying country," "qualifying country end product," and "nonqualifying country end product" have the meanings given in the Buy American Act and Balance of Payments Program clause of this solicitation.

(b) Evaluation. Offers will be evaluated by giving preference to domestic end products and qualifying country end products over nonqualifying country end products.

(c) Certifications.

(1) The Offeror certifies that-

(i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product; and

(ii) Components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country.

(2) The Offeror certifies that the following end products are qualifying country end products:

Qualifying Country End Products

<u>Line Item Number</u>	<u>Country of Origin</u>
_____	_____
_____	_____

(List only qualifying country end products.)

(3) The Offeror certifies that the following end products are nonqualifying country end products:

Nonqualifying Country End Products

<u>Line Item Number</u>	<u>Country of Origin (If known)</u>
_____	_____
_____	_____

[End of Provision]

**Name of Offeror or Contractor:**

26            52.204-4005            REQUIRED USE OF ELECTRONIC COMMERCE  
                 (TACOM)

MAY/2000

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr2000.com>. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: [http://contracting.tacom.army.mil/awards\\_official.htm](http://contracting.tacom.army.mil/awards_official.htm)  
Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>  
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>  
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>  
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Additional information can be obtained by sending a message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil) or by calling (810) 574-7059.

[End of Clause]

27 52.204-4007 OFFEROR'S DATAFAX NUMBER, E-MAIL ADDRESS, AND CAGE CODE  
(TACOM)

MAY/2000

(a) If you have a company data fax number, please provide it on the following line: \_\_\_\_\_

(b) If you have a company Internet address that we can use in the future when sending out electronic notices and possibly solicitations, please provide the complete e-mail address on the following line: \_\_\_\_\_

(c) Provide your CAGE (Contractor And Government Entity) code here: \_\_\_\_\_

[End of Provision]

28           52.204-4009           MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION  
              (TACOM)

JUN/1999

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page 14 of 25</b>
---------------------------	----------------------------------------------------------------------------------------------------------	----------------------

**Name of Offeror or Contractor:**

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

29	52.211-4008 (TACOM)	DRAWING LIMITATION	FEB/1995
----	------------------------	--------------------	----------

(a) The drawings forming a part of the contract specification or technical description, while adequate to permit manufacture, are engineering design drawings and are intended to (1) depict completed items, and (2) serve as a basis for the inspection of the contract items. As such they are not shop or process drawings.

(b) To this extent it is then foreseeable that notwithstanding contractor adherence to a specified range of dimensions and tolerances for each individual part, there could result cumulatively an unacceptable fit condition affecting interchangeability or function of the contract item.

(c) In recognition of the type of Government drawings provided, and their purpose and limitations as stated above, the contractor shall at his own expense be responsible for the preparation of his own shop or process drawings or other supplemental manufacturing documentation as are necessary to insure that the contractor will manufacture within the ranges of dimensions and tolerances specified, so that when considered cumulatively, the result will be a contract item that conforms to the Government drawings. To the extent that the Contractor fails to take into account the cumulative impact of dimensions and tolerances resulting in a condition affecting interchangeability or function of the contract item, he shall be responsible to correct such condition at no additional cost to the Government and at no extension in delivery schedule.

[End of Clause]

30	52.211-4016 (TACOM)	TT-C-490, TYPE 1, ZINC PHOSPHATE PRETREATMENT SYSTEMS FOR CARC	MAY/2000
----	------------------------	----------------------------------------------------------------	----------

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, microcrystalline, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in statistical control. Process control tests for alternative systems must ensure that the process remains in control and must be documented and approved by TACOM. Testing must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours. All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scrapped with a one inch (approximate) metal blade such as a putty knife between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg. per square foot to minimize chipping of the CARC system. All TT-C-490, zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be submitted to the procuring activity no less than 45 days prior to use. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of alternate systems must be demonstrated and approved by the procuring activity. If the TT-C-490 Type 1 system has not been previously approved by TACOM, it must be documented and submitted for approval as specified in the specification. Zinc phosphate systems for galvanized substrates require separate qualification. A list of previously qualified zinc phosphate application facilities is available from TACOM, Materials Engineering Team, (810) 574-5083. Requalification of the process will be required if the process is changed outside the limits defined in the TAOCM letter of system acceptance provided to the application facility.

(b) Qualification of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with primer only shall be cured for seven days, and scribed thru the primer. After 40 cycle test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate) with a one inch (approximate) metal blade, such as a putty knife, both parallel and perpendicular to the scribe. There shall be no more than 3 mm. of

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-S155                      MOD/AMD</p>	<p style="text-align: center;"><b>Page 15 of 25</b></p>
--------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

**Name of Offeror or Contractor:**

rust creep (zinc corrosion products), blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with non greater than 1 mm. This test shall be performed at two month intervals (two test coupons) to ensure that the process is in control. An alternative test for verifying process control is GM 9511P for 10 cycles.

(c) Performance tests for process control are highly dependent on the type, thickness, and VOC level of the organic coating (primer) film and its adhesion to the substrate. Any change to the solvents used in the primer or changing the brand of primer will require retesting of the system. The test coupons must duplicate the production painting process as closely as possible. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control.

(d) The use of vinyl wash primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level.

[End of Clause]

31                      52.211-4017                      ENHANCED CARC REQUIREMENTS FOR HIGH PERFORMANCE SYSTEMS                      JAN/2002

(a) THE FOLLOWING REQUIREMENTS SUPERCEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:

(b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or minus 1.0 mil then you must qualify the extremes of the range separately.

(c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 6 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P - scribed is an acceptable alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be cured for a minimum of 7 days and diagonally scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610.

(d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals(approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.

(e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.

(f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however.

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

(g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-S155 MOD/AMD	Page 16 of 25
--------------------	------------------------------------------------------------------------------------	---------------

**Name of Offeror or Contractor:**

(g) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.

(h) Final Acceptance of the CARC Finish on Production Hardware:  
The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

32	52.211-4021 (TACOM)	WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL	APR/1995
----	------------------------	----------------------------------------------------------	----------

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

33	52.211-4030 (TACOM)	SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	MAR/2001
----	------------------------	---------------------------------------------------------------------------------------------------	----------

(a) Application: MIL-C-46168  
MIL-C-53039  
MIL-PRF-22750

(b) End-Item Paint Inspection: After the complete paint finish has been applied and cured\* (See \*Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

\*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:



<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-S155      MOD/AMD</p>	<p style="text-align: center;"><b>Page 17 of 25</b></p>
--------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

**Name of Offeror or Contractor:**

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

<u>SPECIFICATION</u>	<u>DRY FILM THICKNESS (Mils)</u>
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

\*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-S155 MOD/AMD	Page 18 of 25
Name of Offeror or Contractor:		

practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

34	52.211-4036	FORMAT OF THE TECHNICAL DATA PACKAGE	APR/2000
	(TACOM)		

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM  
AMSTA-CM-CDD (TDP Requests)  
Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Terri McGregor at (810) 574-7058 or Rick Khouri at (810) 574-7064.

[End of Provision]

35	52.211-4047	NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL	APR/2000
	(TACOM)	(NEGOTIATED)	

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

(b) Definitions:

(1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.

(2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.

(3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.

(4) "Remanufactured" means factory rebuilt to original specifications.

(5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials

(6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.

(c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.

(d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:

(7) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.

(8) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page 19 of 25</b>
---------------------------	----------------------------------------------------------------------------------------------------------	----------------------

**Name of Offeror or Contractor:**

(9) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.

(e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

36	52.211-4052 (TACOM)	SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA REQUIREMENTS	JAN/1984
----	------------------------	-------------------------------------------------------------------------------	----------

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Offerors shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

37	52.213-4859 (TACOM)	ELECTRONIC QUOTATIONS REQUIRED IN RESPONSE TO THIS REQUEST FOR QUOTATIONS (TACOM)	JUL/2001
----	------------------------	-----------------------------------------------------------------------------------	----------

(a) You must submit your quotation via paperless electronic media (See paragraph (b) below.). Quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:

(1) Files readable using these Microsoft\* 97 Office Products (TACOM can currently read Office 97\* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable.

(2) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.

(3) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.

(4) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files.

(b) Acceptable media: 100 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.

(1) 100 MEGABYTE ZIP\*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).

(2) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".

(3) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your

<p align="center"><b>CONTINUATION SHEET</b></p>	<p align="center"><b>Reference No. of Document Being Continued</b></p> <p align="center"><b>PIIN/SIIN</b> DAAE07-02-Q-S155      <b>MOD/AMD</b></p>	<p align="center"><b>Page 20 of 25</b></p>
-------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------

**Name of Offeror or Contractor:**

PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph (e) below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Note: Please select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 megabyte Zip\*-disk AND e-mail.

(c) Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM before the due date for quotations. Contact the buyer identified in Block 5(b) of the SF18 Request for Quotation cover sheet to arrange a means of providing it. Passwords used only for the purpose of write protecting files need not be provided.

- (d) Electronic quotations should include, as a minimum:
- (1) The SF18 cover sheet filled out, or equivalent information.
  - (2) All applicable fill-in provisions, filled in. You may find Word versions of these provisions requiring your fill-in on our TACOM Business Opportunities webpage (<http://contracting.tacom.army.mil/mastersol/sectionk.htm>). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.
  - (3) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.
  - (4) Any other information required by the Request for Quotations.
- (e) Quoters shall make every effort to ensure that their quotation is virus-free.

\*Registered trademark

[End of provision]

38	52.214-4003 (TACOM)	ALL OR NONE	JUN/1985
----	------------------------	-------------	----------

Only one award will be made as a result of this solicitation. Offers must be submitted for the total quantity of all the items listed. Offers for less than the total quantities of all the items will not be considered.

[End of Clause]

39	52.223-4002 (TACOM)	USE OF CLASS I OZONE-DEPLETING SUBSTANCES (CIODS)	DEC/1993
----	------------------------	---------------------------------------------------	----------

- (a) Definitions.
- (1) Class I Ozone-Depleting Substances (CIODS) refers to the class of substances identified in Section 602(a) of the Clean Air Act, (42 U.S.C. 7671a(a)), as reproduced below:

- (i) chlorofluorocarbon-11 (CFC-11)
- (ii) chlorofluorocarbon-12 (CFC-12)
- (iii) chlorofluorocarbon-13 (CFC-13)
- (iv) chlorofluorocarbon-111 (CFC-111)
- (v) chlorofluorocarbon-112 (CFC-112)
- (vi) chlorofluorocarbon-113 (CFC-113)
- (vii) chlorofluorocarbon-114 (CFC-114)
- (viii) chlorofluorocarbon-115 (CFC-115)
- (ix) chlorofluorocarbon-211 (CFC-211)
- (x) chlorofluorocarbon-212 (CFC-212)
- (xi) chlorofluorocarbon-213 (CFC-213)
- (xii) chlorofluorocarbon-214 (CFC-214)
- (xiii) chlorofluorocarbon-215 (CFC-215)
- (xiv) chlorofluorocarbon-216 (CFC-216)
- (xv) chlorofluorocarbon-217 (CFC-217)

Name of Offeror or Contractor:

- (xvi)

halon-1211
- (xvii)

halon-1301
- (xviii)

halon-2402
- (xix)

carbon tetrachloride
- (xx)

methyl chloroform
- (xxi)

Methyl bromide
- (xxii)

hydrobromofluorocarbons (HBFCs)
- (xxiii)

All isomers of the substances listed in this paragraph (a)(1) except for 1,1,2-trichloroethane, which is an isomer of methyl chloroform.

(2) Directly requires the use of CIODS means that the Government's specification or technical data package, at any tier, explicitly requires the use of any Class I Ozone-Depleting Substance (CIODS) in performance of the contract.

(3) Indirectly requires the use of CIODS means that the Government's specification or technical data package, while not explicitly requiring the use of any CIODS, does require a feature that you can meet or produce only by the use of CIODS.

(b) Per Section 326 of Public Law 102-484, the Department of Defense cannot award any contract that directly or indirectly requires the use of CIODS unless (i) the use of such substances is essential for contract performance, and (ii) no suitable substitute for the CIODS currently is available.

(c) Before releasing this solicitation, we conducted a best effort review of its technical requirements, standards, and specifications, to see if any contain requirements for CIODS. If we identified any such CIODS requirements, they are identified in subparagraph (d)(1) below.

(1) In addition, to help TACOM meet its obligations under Public Law 102-484, we ask you for input. If you have any special knowledge about any CIODS requirements that our specifications impose, whether directly or indirectly, or if you know about potential substitutes for any CIODS required by our specifications, we would appreciate the information.

(2) It should be understood that you are not obligated to give us the information requested by this provision, and that we cannot provide any separate or special payment for doing so. However, we are asking only for information based on knowledge that is readily available to you as a supplier in this industry. We do not expect you to do any review of our specifications more extensive than the one you perform in order to develop your price.

(d) Please summarize your own review of our specification/technical data package, by completing the following:

(1) During our review of the specification or technical data package in this solicitation, we--

- [ ]

have
- [ ]

have not

found any direct requirements to use any CIODS. (If have is checked above, offerors are asked to identify, on the following lines, (i) any specifications and standards not already listed immediately below that directly require the use of CIODS; (ii) the CIODS required by the listed specifications and standards; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>

(2) Further, in our review of the specification or technical data package in this solicitation, we--

- [ ]

have
- [ ]

have not

found any indirect requirements to use any CIODS. (Offerors who check have above are asked to identify, on the following lines, (i) the specifications and standards for this acquisition that indirectly require the use of CIODS; (ii) the CIODS indirectly required by each listed specification and standard; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-S155      MOD/AMD</p>	<p style="text-align: center;"><b>Page 22 of 25</b></p>
--------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

**Name of Offeror or Contractor:**

(e) Offerors who check have in paragraphs (d)(1) or (2) above also are requested to say whether substitutes are known to be available for any of the CIODS. If an available substitute would perform less well than the CIODS would perform, please let us know what the technical trade-offs are to the extent that you have such information available.

(f) If you checked have in paragraphs (d)(1) or (2) above, and also indicated that substitutes for CIODS are available, we need to know whether use of the suggested substitute would have any effect on your proposed price. If your proposal price for compliance with our current specifications differs from what your price would be if the substitute for CIODS were required, we ask that you let us know what the difference would be in Section B of this solicitation, by giving us two prices or offers:

--One price/offer, labeled with CIODS, will be the offered price in the event that CIODS are used.

--The second price/offer, labeled without CIODS, will be the price offered if substitutes for CIODS are used, and will specify the substitute(s) being proposed for use.

(g) Section 326 of Public Law 102-484 reflects the national and international interest in minimizing the use of CIODS. For this reason, TACOM reserves the right to (i) determine the suitability of substitutes for CIODS when such potential substitutes are available; and (ii) change the specification in any contract awarded as a result of this solicitation, to require the use of suitable substitutes in lieu of CIODS.

[End of Provision]

40	52.246-4005	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	FEB/1995
	(TACOM)		

The Government's inspection and acceptance of the supplies offered under this order shall take place at ORIGIN. Offeror must specify below the exact name and address of his facility, or his subcontractor's facility, where supplies to be furnished under this order will be available for origin inspection

Contractor's Plant: \_\_\_\_\_  
(Name and Address)

Subcontractor's Plant: \_\_\_\_\_  
(Name and Address)

[End of Clause]

41	52.246-4026	LOCAL ADDRESS FOR DD FORM 250	MAR/2002
	(TACOM)		

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page 23 of 25</b>
---------------------------	----------------------------------------------------------------------------------------------------------	----------------------

**Name of Offeror or Contractor:**

42                      52.247-4016                      HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS                      SEP/2001  
(TACOM)

All non-manufactured coniferous wood used in packaging, packing, palletization/unitization, skids, or internal blocking/bracing shall be constructed from Heat Treated (HT) [so that the core temperature of each piece of treated wood will reach 56 degrees Centigrade for 30 minutes(56/30)] material and certified by an accredited agency recognized by the American Lumber Standards Committee (ALSC) in accordance with Non-manufactured Wood Packing Policy and Non-manufactured Wood Packing Enforcement Regulations both dated May 30, 2001. The quality mark shall be placed on both ends of the outer packaging (between the end cleats or battens if applicable). Quality marks for pallets shall be placed on two opposite end posts. Quality mark for wood unitization components shall be placed on two opposite sides. Since Non-Manufactured Wood Packing(NMWP) made entirely of hardwoods are exempt from the EU emergency measure, no marking of this material is required. The National Wooden Pallet and Container Association (NWPCA), the largest organization of wooden packaging professionals in North America, is developing an optional mark for "hardwood only" NMWP. When a mixture of coniferous and non-coniferous wood packing is used in a box or pallet, the complete assembly shall be heat treated.

[End of clause]

43                      52.247-4458                      GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION                      SEP/2000  
(TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length\_\_\_\_\_ x Width\_\_\_\_\_ x Depth \_\_\_\_\_(expressed in inches)/Weight expressed in \_\_\_\_\_ pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, \_\_\_\_\_ x Width, \_\_\_\_\_ x Height,\_\_\_\_\_ (expressed in feet and inches)

(ii) Number of unit packages per shipping container \_\_\_\_\_ each

(iii) Gross weight of Shipping container and contents \_\_\_\_\_ Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [ ] No [ ]; describe: \_\_\_\_\_

(ii) Number of Shipping containers per pallet/skid \_\_\_\_\_ each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials \_\_\_\_\_ Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, \_\_\_\_\_ x Width, \_\_\_\_\_ x Height,\_\_\_\_\_ (expressed in feet and inches)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> DAAE07-02-Q-S155 <b>MOD/AMD</b>	<b>Page</b> 24 <b>of</b> 25
<b>Name of Offeror or Contractor:</b>		

(v) Gross Weight of Unit Load \_\_\_\_\_ Lbs;

[End of Clause]



CONTINUATION SHEET	Reference No. of Document Being Continued		Page 25 of 25
	PIIN/SIIN DAAE07-02-Q-S155	MOD/AMD	

Name of Offeror or Contractor:

LIST OF ATTACHMENTS

List of Addenda	Title	Date	Number of Pages	Transmitted By
Attachment 001	SEE TDP ON THE WEB			